

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(call\$3 near4 stor\$3 near4 return near4 address\$3) near4 interrupt\$6 near4 ((second adj1 process\$3) or co?process\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/05/10 09:28
L2	0	(call\$3 near4 stor\$3 near4 return near4 address\$3) with (interrupt\$6 near4 ((second adj1 process\$3) or co?process\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/05/10 09:28
L3	0	(call\$3 with stor\$3 with return with address\$3) same (interrupt\$6 with ((second adj1 process\$3) or co?process\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/05/10 09:28
L4	0	(call\$3 with stor\$3 with return with address\$3 with ((second adj1 process\$3) or co?process\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/05/10 09:29
L5	1	(stor\$3 with return with address\$3) same (call\$3 with ((second adj1 process\$3) or co?process\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/05/10 09:29
L6	2	(stor\$3 with return with address\$3) same (call\$3 same ((second adj1 process\$3) or co?process\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/05/10 09:34
L7	1	(stack near4 (spill or overflow)) with (return near4 address) with (co? process\$6)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/05/10 09:37
L8	1	(stack with (spill or overflow)) with (return near4 address) with (co? process\$6)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/05/10 09:39

L9	4	(stack with (spill or overflow)) with (return near4 address) with handl\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/05/10 09:39
L10	95	(stack with (spill or overflow)) with (return near4 address)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/05/10 09:42
L11	67	(stack near4 (spill or overflow)) with (return near4 address)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/05/10 09:42
L12	4	(stack near4 (spill or overflow)) with (return near4 address) with (handler\$1 or circuit\$1 or unit\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/05/10 09:47
S1	1	("20070283135").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/06/08 13:07
S2	3	((("6807620") or ("5706478") or ("6671196"))).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/06/08 13:36
S3	357	(712/28).OCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/06/08 15:13
S4	115	(712/31).OCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/06/08 15:13
S5	697	(712/34-35).OCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/06/08 15:13
S6	106	(712/230).OCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/06/08 15:13
S7	61	(712/231).OCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/06/08 15:13
S8	687	(712/244).OCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/06/08 15:13

S9	4	((NODA-SHINJI\$) and (KONO-TAKESHI\$)).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/06/08 15:14
S10	0	((co?process\$3) near4 interrupt\$3 near4 return) with (process\$3 near4 interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/06/08 15:15
S11	0	((co?process\$3) near4 return) with (process\$3 near4 interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/06/08 15:16
S12	0	((co?process\$3) near4 return) with (process\$3 near4 interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/06/08 15:16
S13	0	((co-process\$3) near4 return) with (process\$3 near4 interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/06/08 15:16
S14	1	((co?process\$3) near4 return) same (process\$3 near4 interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/06/08 15:16
S15	1	((co?process\$3) with (return near4 address \$3)) same (process\$3 with interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/06/08 15:19
S16	1	((co?process\$3) with (return with address\$3)) same (process\$3 with interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/06/08 15:19
S17	6	((co?process\$3) with (return with address\$3)) and (process\$3 with interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/06/08 15:19
S18	8	(interrupt near4 processor\$1) with (stor \$3 near4 return near4 address\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/06/08 15:33
S19	2	((interrupt near4 (unit or controller or processor)) same (stor\$3 near4 return near4 address\$3)) and (graphics near4 processor)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/06/08 15:36

S20	8	((call or jump or branch or interrupt or exception) near4 (unit or controller or processor)) same (stor\$3 near4 return near4 address\$3)) and (graphics near4 processor)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/06/08 15:39
S21	86	((call or jump or branch or interrupt or exception) near4 (unit or controller or processor)) same (return near4 address\$3)) and (graphics near4 processor)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/06/08 15:41
S22	51	((call or jump or branch or interrupt or exception) near4 (unit or controller or processor)) same (return near4 address\$3)) and (graphics near4 processor near4 (call or jump or branch or interrupt or exception))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/06/08 15:41
S23	2	((call or jump or branch or interrupt or exception) near4 (unit or controller or processor)) with (return near4 address\$3)) and (graphics near4 processor near4 (call or jump or branch or interrupt or exception))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/06/08 15:42
S24	3	((call or jump or branch or interrupt or exception) with (unit or controller or processor)) with (return near4 address\$3)) and (graphics near4 processor near4 (call or jump or branch or interrupt or exception))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/06/08 15:42
S25	1	(call near4 return near4 address) with (stor\$3) with (co?processor\$1 or slave)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/06/08 16:38
S26	1	(goettsu and ketty and mann).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/06/08 17:00

S27	1	("20020049894").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/06/09 14:27
S28	3	((("6807620") or ("5706478") or ("6671196")).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/06/09 19:27
S29	385	(712/28).OCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/01/31 13:47
S30	123	(712/31).OCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/01/31 13:47
S31	726	(712/34-35).OCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/01/31 13:47
S32	108	(712/230).OCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/01/31 13:47
S33	61	(712/231).OCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/01/31 13:47
S34	716	(712/244).OCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/01/31 13:47
S35	4	((NODA-SHINJI\$) and (KONO-TAKESHI\$)).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/01/31 13:47
S36	0	((co?process\$3) near4 interrupt\$3 near4 return) with (process\$3 near4 interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/01/31 14:05
S37	0	((co?process\$3) near4 return) with (process\$3 near4 interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/01/31 14:05
S38	0	((co?process\$3) near4 return) with (process\$3 near4 interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/01/31 14:05

S39	0	((co-process\$3) near4 return) with (process\$3 near4 interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/01/31 14:05
S40	1	((co?process\$3) near4 return) same (process\$3 near4 interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/01/31 14:05
S41	1	((co?process\$3) with (return near4 address \$3)) same (process\$3 with interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/01/31 14:05
S42	1	((co?process\$3) with (return with address\$3)) same (process\$3 with interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/01/31 14:05
S43	7	((co?process\$3) with (return with address\$3)) and (process\$3 with interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/01/31 14:05
S44	8	(interrupt near4 processor\$1) with (stor \$3 near4 return near4 address\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/01/31 14:06
S45	2	((interrupt near4 (unit or controller or processor)) same (stor\$3 near4 return near4 address\$3)) and (graphics near4 processor)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/01/31 14:06
S46	8	((call or jump or branch or interrupt or exception) near4 (unit or controller or processor)) same (stor \$3 near4 return near4 address\$3)) and (graphics near4 processor)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/01/31 14:06
S47	88	((call or jump or branch or interrupt or exception) near4 (unit or controller or processor)) same (return near4 address \$3)) and (graphics near4 processor)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/01/31 14:06

S48	51	((call or jump or branch or interrupt or exception) near4 (unit or controller or processor)) same (return near4 address \$3)) and (graphics near4 processor near4 (call or jump or branch or interrupt or exception))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/01/31 14:06
S49	2	((call or jump or branch or interrupt or exception) near4 (unit or controller or processor)) with (return near4 address \$3)) and (graphics near4 processor near4 (call or jump or branch or interrupt or exception))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/01/31 14:06
S50	3	((call or jump or branch or interrupt or exception) with (unit or controller or processor)) with (return near4 address\$3)) and (graphics near4 processor near4 (call or jump or branch or interrupt or exception))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/01/31 14:06
S51	1	(call near4 return near4 address) with (stor\$3) with (co?processor\$1 or slave)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/01/31 14:06
S52	946	(712/227).OCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/01/31 15:40
S53	399	(712/28).OCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/05/09 23:18
S54	127	(712/31).OCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/05/09 23:18
S55	741	(712/34-35).OCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/05/09 23:18

S56	108	(712/230).OCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/05/09 23:19
S57	63	(712/231).OCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/05/09 23:19
S58	732	(712/244).OCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/05/09 23:19
S59	4	((NODA-SHINJI\$) and (KONO-TAKESHI\$)).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/05/09 23:19
S60	966	(712/227).OCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/05/09 23:19
S61	0	((co?process\$3) near4 interrupt\$3 near4 return) with (process\$3 near4 interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/05/09 23:19
S62	0	((co?process\$3) near4 return) with (process\$3 near4 interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/05/09 23:19
S63	0	((co?process\$3) near4 return) with (process\$3 near4 interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/05/09 23:19
S64	0	((co-process\$3) near4 return) with (process\$3 near4 interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/05/09 23:20
S65	1	((co?process\$3) near4 return) same (process\$3 near4 interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/05/09 23:20
S66	1	((co?process\$3) with (return with address\$3)) same (process\$3 with interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/05/09 23:20
S67	1	((co?process\$3) with (return near4 address \$3)) same (process\$3 with interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/05/09 23:20

S68	1	((co?process\$3) with (return with address\$3)) same (process\$3 with interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/05/09 23:20
S69	7	((co?process\$3) with (return with address\$3)) and (process\$3 with interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/05/09 23:20
S70	8	(interrupt near4 processor\$1) with (stor \$3 near4 return near4 address\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/05/09 23:20
S71	2	((interrupt near4 (unit or controller or processor)) same (stor\$3 near4 return near4 address\$3)) and (graphics near4 processor)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/05/09 23:21
S72	8	((call or jump or branch or interrupt or exception) near4 (unit or controller or processor)) same (stor \$3 near4 return near4 address\$3)) and (graphics near4 processor)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/05/09 23:21
S73	89	((call or jump or branch or interrupt or exception) near4 (unit or controller or processor)) same (return near4 address \$3)) and (graphics near4 processor)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/05/09 23:21
S74	51	((call or jump or branch or interrupt or exception) near4 (unit or controller or processor)) same (return near4 address \$3)) and (graphics near4 processor near4 (call or jump or branch or interrupt or exception))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/05/09 23:21
S75	2	((call or jump or branch or interrupt or exception) near4 (unit or controller or processor)) with (return near4 address \$3)) and (graphics near4 processor near4 (call or jump or branch or interrupt or exception))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/05/09 23:21

S76	3	((call or jump or branch or interrupt or exception) with (unit or controller or processor)) with (return near4 address\$3)) and (graphics near4 processor near4 (call or jump or branch or interrupt or exception))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/05/09 23:21
S77	1	(call near4 return near4 address) with (stor\$3) with (co?processor\$1 or slave)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/05/09 23:21

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L13	23	(712/227).CCLS.	UPAD	OR	OFF	2010/05/10 10:01
L14	13	(712/28).CCLS.	UPAD	OR	OFF	2010/05/10 10:01
L15	2	(712/31).CCLS.	UPAD	OR	OFF	2010/05/10 10:01
L16	9	(712/34-35).CCLS.	UPAD	OR	OFF	2010/05/10 10:01
L17	0	(712/230).CCLS.	UPAD	OR	OFF	2010/05/10 10:01
L18	0	(712/231).CCLS.	UPAD	OR	OFF	2010/05/10 10:01
L19	12	(712/244).CCLS.	UPAD	OR	OFF	2010/05/10 10:01
L20	23	(712/227).CCLS.	UPAD	OR	OFF	2010/05/10 10:01
L21	0	((NODA-SHINJI\$) and (KONO-TAKESHI \$)).in.	USPAT; UPAD	OR	OFF	2010/05/10 10:01
L22	0	((co?process\$3) near4 return) same (process\$3 near4 interrupt\$1)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/05/10 10:09
L23	0	((co?process\$3) with (return with address\$3)) same (process\$3 with interrupt\$1)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/05/10 10:09
L24	0	((co?process\$3) with (return near4 address\$3)) same (process\$3 with interrupt\$1)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/05/10 10:09

L25	0	((co?process\$3) with (return with address\$3)) same (process\$3 with interrupt\$1)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/05/10 10:09
L26	0	((co?process\$3) with (return with address\$3)) and (process\$3 with interrupt\$1)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/05/10 10:09
L27	1	((interrupt near4 processor\$1) with (stor\$3 near4 return near4 address\$3)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/05/10 10:09
L28	0	((interrupt near4 (unit or controller or processor)) same (stor\$3 near4 return near4 address\$3)) and (graphics near4 processor)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/05/10 10:09
L29	0	((call or jump or branch or interrupt or exception) near4 (unit or controller or processor)) same (stor\$3 near4 return near4 address\$3)) and (graphics near4 processor)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/05/10 10:09
L30	1	((call or jump or branch or interrupt or exception) near4 (unit or controller or processor)) same (return near4 address\$3)) and (graphics near4 processor)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/05/10 10:09

L31	1	((((call or jump or branch or interrupt or exception) near4 (unit or controller or processor)) same (return near4 address \$3)) and (graphics near4 processor near4 (call or jump or branch or interrupt or exception))).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/05/10 10:09
L32	1	((((call or jump or branch or interrupt or exception) near4 (unit or controller or processor)) with (return near4 address \$3)) and (graphics near4 processor near4 (call or jump or branch or interrupt or exception))).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/05/10 10:09
L33	1	((((call or jump or branch or interrupt or exception) with (unit or controller or processor)) with (return near4 address \$3)) and (graphics near4 processor near4 (call or jump or branch or interrupt or exception))).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/05/10 10:09
L34	0	((call near4 return near4 address) with (stor\$3) with (co? processor\$1 or slave)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/05/10 10:09
L35	0	((stor\$3 with return with address\$3) same (call\$3 with ((second adj1 process \$3) or co?process \$3))).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/05/10 10:09

L36	1	((stor\$3 with return with address\$3) same (call\$3 same ((second adj1 process \$3) or co?process \$3))).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/05/10 10:09
L37	0	((stack near4 (spill or overflow)) with (return near4 address) with (co? process\$6)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/05/10 10:09
L38	0	((stack with (spill or overflow)) with (return near4 address) with (co? process\$6)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/05/10 10:09
L39	1	((stack with (spill or overflow)) with (return near4 address) with handl \$3).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/05/10 10:09
L40	11	((stack with (spill or overflow)) with (return near4 address)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/05/10 10:09
L41	7	((stack near4 (spill or overflow)) with (return near4 address)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/05/10 10:09
L42	1	((stack near4 (spill or overflow)) with (return near4 address) with (handler\$1 or circuit \$1 or unit\$1)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/05/10 10:09

5/ 10/ 10 10:28:38 AM

C:\ Documents and Settings\ ALi\ My Documents\ EAST\ Workspaces\ 10587553.wsp